




◆ SPECIFICATIONS

- Current rating: 1.5A AC, DC
- Voltage rating: 50V AC, DC
- Temperature range: $-25^{\circ}\text{C} \sim +85^{\circ}\text{C}$
- Insulation resistance: $100\text{M}\Omega$ Min.
- Withstanding voltage: 500V AC/ minute.
- Contact resistance: $20\text{m}\Omega$ Max.

Material:

Insulator: PA9T UL 94V-0 Black

Contact: Phosphor bronze

Fitting Nail: Brass


Plating:

Contact: Gold Flash

Fitting Nail: Matte tin plated

Circuits: 2~7

Suitable: 1200 series Housing



PIN.	Dimension		
	A	B	C
2P	1.20	4.30	2.64
3P	2.40	5.50	3.84
4P	3.60	6.70	5.04
5P	4.80	7.90	6.24
6P	6.00	9.10	7.44
7P	7.20	10.30	8.64
8P	8.40	11.50	9.84

DESIGN	MISS ZENG	SC ALL			TOLERANCE	ANGLES
DRAWIGN	MISS LI	ANIT	mm		X.X ± 0.30	$\pm 1^{\circ}$
CHECK	Mr. ZENG	SIZE	A4 : 210*297		X.XX ± 0.20	
APPROVAL		VERSION	01		X.XXX ± 0.10	

品名：





线对板连接器

型号：

1.20间距-单排-SMT



东莞市航宏电子科技有限公司
Dongguan Hanghong Electronics Co., Ltd.




◆ SPECIFICATIONS

- Current rating: 1.5A AC, DC
- Voltage rating: 50V AC, DC
- Temperature range: -25°C ~ +85°C
- Insulation resistance: 100MΩ Min.
- Withstanding voltage: 500V AC/ minute.
- Contact resistance: 20mΩ Max.

Material: Nylon 46 UL94V-0 Black
Suitable: 1200 series Crimp Terminal

PIN.	Dimension	
	A	B
2P	1.20	2.60
3P	2.40	3.80
4P	3.60	5.00
5P	4.80	6.20
6P	6.00	7.40
7P	7.20	8.60




DESIGN	MISS ZENG	SC ALL			TOLERANCE	ANGLES
DRAWIGN	MISS LI	ANIT	mm		X.X ±0.30	±1°
CHECK	Mr. ZENG	SIZE	A4 : 210*297		X.XX ±0.20	
APPROVAL		VERSION	01		X.XXX ±0.10	

品名： 线对板连接器
型号： 1.20间距-单排-SMT



东莞市航宏电子科技有限公司
Dongguan Hanghong Electronics Co., Ltd.



◆ SPECIFICATIONS

- Current rating: 1.5A AC, DC
- Voltage rating: 50V AC, DC
- Temperature range: -25°C ~ +85°C
- Insulation resistance: 100MΩ Min.
- Withstanding voltage: 500V AC/ minute.
- Contact resistance: 20mΩ Max.

Applicable Wires:

AWG#30~#28

Insulation O.D. : 0.70mm MAX

Material: Phosphor Bronze

Finish: Gold-flash over Nickel

Suitable: 1200 series Crimp Housing



DESIGN	MISS ZENG	SC ALL			TOLERANCE	ANGLES
DRAWING	MISS LI	ANIT	mm		X.X ±0.30	±1°
CHECK	Mr. ZENG	SIZE	A4 : 210*297		X.XX ±0.20	
APPROVAL		VERSION	01		X.XXX ±0.10	

品名：

线对板连接器

型号：

1.20间距-单排-SMT



东莞市航宏电子科技有限公司
Dongguan Hanghong Electronics Co., Ltd.